

MADISON PREMIUM CLEAN-FACE
DIRECT-VENT MULTI-SIDED FIREPLACES



A GREAT VIEW FROM ANY ANGLE

Both Madison Peninsula and See-through models feature an attractive clean-face design that integrates the barrier screens into the fireplace – flush with the fireplace face – allowing you to install tile, brick, or other non-combustible materials right up to the fireplace opening.

Choose between the hand-painted Campfire Logs or Mixed Logs and Stones to customize your fireplace. Both multi-sided fireplaces are rated at 34,000 Btu (Nat) / 34,000 Btu (LP), and include non-combustible board for installation above the fireplace. Additional non-combustible materials may be required. See installation manual.



*Direct-Vent Premium See-Through
Fireplace, Cottage Brick Liner with
Soldier Course, and Campfire Logs*

*Direct-Vent Premium Peninsula
Fireplace, Cottage Brick Liner
with Soldier Course, and Mixed
Stones and Logs*



LINERS


For Madison Premium Clean-Face multi-sided fireplace models, choose a hand-painted ceramic fiber liner in Cottage Brick with Soldier Course, or Fluted Black. Or select a Black Porcelain liner to enhance the illusion of flame and depth.



Cottage Brick with Soldier Course



Black Fluted




Black Porcelain

LIGHTING KIT & BLOWER

The available lighting kit draws attention to the intricate details in the log set and liner – even when no fire is burning. Enhance heat distribution with the optional variable-speed blower. Both the light and blower include a rheostat control.



Optional Lighting Kit



Optional Variable-Speed Blower

CONTROL OPTIONS

Your Madison Clean-Face Peninsula or See-Through Fireplace is available in Millivolt – with a standing pilot for simple, reliable operation all winter long. Or choose our energy-saving Intermittent Pilot ignition. The IP system includes battery backup to operate in a power outage and can switch to a standing pilot to warm your home during an extended power failure. Both the Millivolt and IP systems work with our control accessories – from a simple on/off remote to a thermostat to a programmable thermostat remote.



*FRBTP Programmable
Remote Control
Millivolt or IP*



*FRBC
Remote Control
Millivolt Only*



*FRBTC Thermostat
Remote Control
Millivolt or IP*



*RVKP or RVKN
Remote Control
IP Only*



*TRW
Wall Thermostat*




*TMV
Wall Thermostat*



*FWS
Wall Switch*


DV PREMIUM PENINSULA FIREPLACE DIMENSIONS

Model	A Max Height	B Max. Width	C Max. Depth	D Height	E Width	F Interior Depth	H Height to Standoffs	U Viewing Area Width	V Viewing Area Height	X Viewing Area Width - Sm
DVCP36PP30	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25	18 5/8
DVCP36PP70	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25	18 5/8




DV PREMIUM SEE-THROUGH FIREPLACE DIMENSIONS

Model	A Max Height	B Max. Width	C Max. Depth	D Height	E Width	F Interior Depth	H Height to Standoffs	U Viewing Area Width	V Viewing Area Height
DVCP36SP30	39 1/4	45	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25
DVCP36SP70	39 1/4	42	24	31 1/2	37 1/4	20 1/4	42 3/8	33 5/8	25



MINIMUM FIREPLACE OPENING DIMENSIONS

Model	A	B	C
DVCP36PP	42 1/2	41 3/4	23
DVCP36SP	42 1/2	45 1/2	23



Member of the following industry associations:



This appliance is design-certified to the ANSI standard by:



SINCE 1932

Empire is committed to continuous product improvement; specifications are subject to change without notice. Dimensions in this brochure are approximate; read and follow the framing dimensions in the owners manual supplied with your Empire product.

918 Freeburg Ave.
Belleville, IL 62220-2623
e-mail: info@empirecomfort.com

AH-00980 07/01/19

www.americanhearth.com